

Bracelet SO Cute

By Akke Jonkhof



the
BEAD
SMITH[®]

This project may be taught
and distributed exclusively by
customers of the BeadSmith.


www.beadsmith.com

© 2017 all rights are reserved

Distributed by the Beadsmith. This product may be distributed and taught by customers of the Beadsmith.
This document may not be altered in any way or form without the approval of Akke Jonkhof

info@akkesieraden.nl/www.akkesieraden.nl

For a 19 cm/7.5 inch piece of beadwork not including the button and loop:



Ko thread or fire line


Size 10 beading needle

scissors




1) Pick up 2A, 1B (use the top hole), 2A and pass back through the second hole of the last 2A you picked up. Pick up 1B (use the top hole) and pass through the second hole of the first 2A you picked up in this step.

2) Pick up 1B (use the top hole), 2A and pass back through the other holes of the 2A. Pick up 1B and pass through the first holes of the next 2A you picked up in the previous step. Pass back through the second holes. Pass a second time through the first 3 beads you picked up in this step.



3) Repeat step 2 till your bracelet has the correct length. A 19 cm/ 7,5 inch bracelet has 26 groups of 2A beads.

4) Pass through the right side holes of the last 2A you added and pass through the bottom hole of the next B. Start adding C beads between the bottom holes of the B beads.





5) Pass through the last 2A of your bracelet. Pick up 5C, your button, pick up 2 or 3 C (to fit between the button holes) and pass back through the second hole of your button. Pick up 2C and pass through the third C you picked up in this step. Pick up 2C and pass through the left side holes of the 2A, pass back through the right side holes. Pass several times through all beads and button to make a firm connection between your bracelet and the button.

6) End the previous step passing through the left side holes of the first 2 A beads. Pass through the bottom hole of the next B and add a C bead between each B bead passing through the bottom holes along this side of the bracelet. After you passed the bottom hole of the last B, pass through the next 2A.



7) Pick up 24 C beads (adjust this number of beads(adjust this number of beads to fit your size button), pass through the second C bead you picked up. Pick up 1C and pass through the right side holes of the A beads. Pass back through the left side holes. Repeat this thread path several times finish and trim your thread.

© 2017 all rights are reserved

Distributed by the Beadsmith. This product may be distributed and taught by customers of the Beadsmith.
This document may not be altered in any way or form without the approval of Akke Jonkhof.

info@akkesieraden.nl/www.akkesieraden.nl